

## **CROWN AND BRIDGE PROSTHETICS**

I UNDERSTAND that treatment of dental conditions requiring CROWNS and/or FIXED BRIGEWORK includes certain risks and possible unsuccessful results, with even the possibility of failure. I agree to assume those risks, possible unsuccessful results and/or failure associated with, but not limited to the following: ( even though care and diligence is exercised in the treatment of conditions requiring crowns and bridgework and fabrication of same, there are no promises or guarantees of anticipated results or the longevity of the treatment.

- 1. **Reduction of tooth structure**: In order to replace decayed or otherwise traumatized teeth it is necessary to modify the existing tooth or teeth so that crowns (caps) and or bridges may be places upon them. Tooth preparation will be done as conservatively as practical. In preparation for teeth, anesthetics are usually needed. At times there may be swelling, Jaw muscle tenderness or even a resultant numbness of the tongue, Lips, Teeth, jaws and/or facial tissues which is usually temporary, or, rarely, permanent.
- 2. **Sensitivity of teeth**: Often, after the preparation of teeth for the reception of either crowns or bridges, the teeth may exhibit sensitivity. It may be mild to severe. This sensitivity may last only for a short period of time or may last for much longer periods. If it is persistent, notify us inasmuch as this sensitivity may be from some other source.
- 3. Crowned or bridge abutment teeth may require root canal treatment: Teeth after being crowned may develop a condition known as pulpitis or pulpal degeneration. The tooth or teeth may have been traumatized from an accident, deep decay, extensive preparation, or other causes. It is often necessary to do root canal treatment in these teeth. If teeth remain too sensitive for long periods of time following crowning, root canal treatment may be necessary. Infrequently, the tooth (teeth) may abscess or otherwise not heal which may require root canal treatment, root surgery or possible extraction.
- 4. **Breakage:** crowns and bridges may possibly chip or break. Many Factors could contribute to this situation such as chewing excessively hard materials, changes in biting forces, traumatic blows to the mouth, etc. Unobservable cracks may develop in crowns from these causes, but the crowns/ bridges may not actually break until chewing soft foods or possibly for no apparent reason. Breakage or chipping seldom occurs due to defective materials or construction unless it occurs soon after placement.
- 5. **Uncomfortable or strange feeling:** this may occur because of the differences between natural teeth and the artificial replacement. Most patients usually become accustomed to this feeling in time. In limited situations, muscle soreness or tenderness of the jaw joints (TMJ) may persist for indeterminable periods of time following placement of the prosthesis.
- 6. **Esthetics or appearance:** Patients will be given the opportunity to observe the appearance of crowns or bridges in place prior to final cementation. When satisfactory, this fact is acknowledged by an entry into the patients chart initialed by patient.



- 7. **Longevity of crowns and bridges**: There are many variables that determine "how long" crowns and bridges can be expected to last. Among these are some the factors mentioned in preceding paragraphs. Additionally, general health, good oral hygiene, regular dental checkups, diet, etc. can effect longevity. Because of this, no guarantees can be made or assumed to be made.
- 8. It is a patient's responsibility to seek attention from the dentist should any undue or expected problem occur. The patient must diligently follow all instructions, including the scheduling and attending all appointments. Failure to keep the cementation appointment can result in ultimate failure of the crown / bridge to fit properly and an additional fee maybe assessed.

<b>INFORMAED CONSENT</b> : I have been	en given the opportunity to ask any questions re	egarding the nature and
purpose of crown and/ or bridge to	reatment and have received answers to my sati	isfaction. I voluntarily assume
all possible risks including those as	listed above and including risk of substantial h	arm, if any, which may be
associated with any phase of this t	reatment in hopes of obtaining the desired res	ults, which may or may not
be achieved. No guarantees or pro	mises have been made to me concerning the re	esults. The fee(S) for service
have been explained to me and are	e satisfactory. By signing this document, I am fe	eely giving my consent to
allow and authorize Dr.	and /or his/her associates	s to render any treatment
necessary and/ or advisable to my	dental condition including the prescribing and	administering any
medications and/ or anesthetics de	eemed necessary to my treatment.	
		-
Patients name (please print)	Signature of patient or legal guardian	Date
TOOTH NO (c)		
TOOTH NO.(s)	Witness to signature	Date
	withess to signature	Date